

2014 Oklahoma Abortion Statistics

A Woman's Right to Know

Introduction

The Oklahoma State Department of Health (OSDH) collects statistical data of the abortions performed in licensed abortion facilities in Oklahoma. This data is used to monitor legal induced abortion in the state and to describe those women receiving legal abortion services. The data referred to in this report has been taken from <http://www.health.state.ok.us/ok2share/> and compiled to present common characteristics of women who obtained legal abortions in the state of Oklahoma.

Table 1. 2014 Number of Legal Induced Abortions Reported


In 2014, 4,917 abortions were reported to OSDH. This averages to 410 abortions per month.

| Oklahoma State Abortion Statistics 2014 | | | | | |
|--|--------|------------|---------------------------|--------|------------|
| Number of Legal Induced Abortions Reported | | | | | |
| Total number of Abortions | | | Total number of Abortions | | |
| | 4917 | | | 4917 | |
| Age (yrs) | Number | Percentage | Previous Live Births | Number | Percentage |
| <20 | 655 | 13.3% | 0 | 2008 | 40.8% |
| 20-24 | 1571 | 32.0% | 1 | 1222 | 24.9% |
| 25-29 | 1267 | 25.8% | 2 | 1036 | 21.1% |
| 30-34 | 845 | 17.2% | 3 | 430 | 8.7% |
| ≥35 | 568 | 11.6% | ≥4 | 218 | 4.4% |
| Race | | | Previous Abortions | | |
| White | 2986 | 60.7% | 0 | 3327 | 67.7% |
| Black | 852 | 17.3% | 1 | 1050 | 21.4% |
| American Indian | 256 | 5.2% | 2 | 338 | 6.9% |
| Asian | 187 | 3.8% | ≥3 | 196 | 4.0% |
| Other | 631 | 12.8% | Gestational Age | | |
| Marital Status | | | ≤ 6 wks | 2699 | 54.9% |
| Married | 683 | 13.9% | 7 wks | 542 | 11.0% |
| Never Married | 3601 | 73.2% | 8 wks | 452 | 9.2% |
| Separated | 190 | 3.9% | 9-10 wks | 551 | 11.2% |
| Divorced | 422 | 8.6% | 11-12 wks | 381 | 7.7% |
| Widowed | 20 | 0.4% | 13-15 wks | 223 | 4.5% |
| Education | | | 16+ weeks | 62 | 1.3% |
| <8th grade | 70 | 1.4% | Type of Procedure | | |
| 9-12 grade, no diploma | 581 | 11.8% | Suction Aspiration | 1807 | 36.8% |
| Highschool graduate or GED | 1851 | 37.6% | RU-486 | 1813 | 36.9% |
| Some College Credit | 1656 | 33.7% | Dilation & Curettage | 880 | 17.9% |
| Bachelor's Degree | 559 | 11.4% | Dilation & Evacuation | 404 | 8.2% |
| Post Grad Work | 186 | 3.8% | | | |


Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 6/9/2016<<http://www.health.state.ok.us/stats/index.shtml>

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 2/5/2016<<http://www.health.state.ok.us/stats/index.shtml>


The majority of abortions were obtained by women aged 20-29 years of age (57.8%). Women over 30 years of age comprised 28.8% of the abortions while women under the age of 20 obtained 13.3% of the abortions.




The majority of abortions were to white women (60.7%), with black women at 17.3% and the lowest percentage was Asian women (3.8%). In 2012, ethnicity was removed from the statistical data and ... Other (13%).




The majority of abortions were to women who have never been married (73.2%). Married women obtained 14% of the abortions in 2014, and women who were separated or divorced obtained 12.5%.




The highest percentage of abortions were to women who have attained a high school diploma or GED (37.6%), the next was to women who have some college credits, but not graduated (33.7%).




In 2014, 59.2% of the abortions were on women who have had at least one prior live birth. Women who had no prior live births comprised 40.8%.



Women who had no previous abortions were 67.7% while 32.3% of the abortions were obtained by women who have had at least one or more previous abortions.



The majority of abortions in Oklahoma were performed on women in the first 12 weeks of pregnancy (94%).



The two most common procedures used on women obtaining abortions were RU-486, non-surgical (36.9%) and Suction Aspiration, first trimester surgical procedure (36.8%).




Table 2. 2014 Number of Legal Induced Abortions Reported – By Age Groups and Selected Characteristics

| Characteristic | Age Group (yrs) | | | | | | | | | |
|---|-----------------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| | <20 | | 20-24 | | 25-29 | | 30-34 | | ≥35 | |
| Total Number of Abortions | 655 | % | 1571 | % | 1267 | % | 845 | % | 568 | % |
| White | 384 | 58.6% | 955 | 60.8% | 777 | 61.3% | 503 | 59.5% | 359 | 63.2% |
| Black | 109 | 16.6% | 283 | 18.0% | 226 | 17.8% | 146 | 17.3% | 80 | 14.1% |
| American Indian | 38 | 5.8% | 81 | 5.2% | 67 | 5.3% | 45 | 5.3% | 17 | 3.0% |
| Asian | 16 | 2.4% | 45 | 2.9% | 44 | 3.5% | 38 | 4.5% | 43 | 7.6% |
| Other | 96 | 14.7% | 206 | 13.1% | 151 | 11.9% | 112 | 13.3% | 61 | 10.7% |
| Education | | | | | | | | | | |
| <8th grade | 22 | 3.4% | 20 | 1.3% | 11 | 0.9% | 10 | 1.2% | 7 | 1.2% |
| 9-12 grade, no diploma | 249 | 38.0% | 113 | 7.2% | 119 | 9.4% | 71 | 8.4% | 32 | 5.6% |
| Highschool graduate or GED | 256 | 39.1% | 674 | 42.9% | 469 | 37.0% | 281 | 33.3% | 169 | 29.8% |
| Some College Credit | 121 | 18.5% | 624 | 39.7% | 427 | 33.7% | 270 | 32.0% | 207 | 36.4% |
| Bachelor's Degree | 0 | 0.0% | 113 | 7.2% | 186 | 14.7% | 147 | 17.4% | 108 | 19.0% |
| Post Grad Work | 4 | 0.6% | 25 | 1.6% | 55 | 4.3% | 63 | 7.5% | 39 | 6.9% |
| Marital Status | | | | | | | | | | |
| Married | 6 | 0.9% | 110 | 7.0% | 199 | 15.7% | 192 | 22.7% | 175 | 30.8% |
| Never Married | 644 | 98.3% | 1367 | 87.0% | 897 | 70.8% | 468 | 55.4% | 214 | 37.7% |
| Separated | 3 | 0.5% | 44 | 2.8% | 56 | 4.4% | 50 | 5.9% | 37 | 6.5% |
| Divorced | 6 | 0.9% | 47 | 3.0% | 110 | 8.7% | 129 | 15.3% | 130 | 22.9% |
| Widowed | * | * | * | * | 5 | 0.4% | 5 | 0.6% | 5 | 0.9% |
| Previous Live Births | | | | | | | | | | |
| 0 Previous Live Births | 552 | 84.3% | 835 | 53.2% | 391 | 30.9% | 141 | 16.7% | 79 | 13.9% |
| 1 Previous Live Birth | 87 | 13.3% | 437 | 27.8% | 364 | 28.7% | 221 | 26.2% | 111 | 19.5% |
| 2 Previous Live Births | 12 | 1.8% | 237 | 15.1% | 322 | 25.4% | 278 | 32.9% | 185 | 32.6% |
| 3 Previous Live Births | * | * | 52 | 3.3% | 135 | 10.7% | 124 | 14.7% | 115 | 20.2% |
| ≥4 Previous Live Births | * | * | 10 | 0.6% | 53 | 4.2% | 80 | 9.5% | 71 | 12.5% |
| Previous ITOPs | | | | | | | | | | |
| 0 Previous Abortions | 609 | 93.0% | 1185 | 75.4% | 790 | 62.4% | 446 | 52.8% | 287 | 50.5% |
| 1 Previous Abortion | 38 | 5.8% | 301 | 19.2% | 318 | 25.1% | 228 | 27.0% | 159 | 28.0% |
| 2 Previous Abortions | 2 | 0.3% | 64 | 4.1% | 90 | 7.1% | 116 | 13.7% | 66 | 11.6% |
| ≥3 Previous Abortions | 5 | 0.8% | 19 | 1.2% | 66 | 5.2% | 54 | 6.4% | 52 | 9.2% |
| Gestational Age | | | | | | | | | | |
| ≤8 wks | 443 | 67.6% | 1185 | 75.4% | 969 | 76.5% | 638 | 75.5% | 452 | 79.6% |
| 9-10 wks | 88 | 13.4% | 174 | 11.1% | 145 | 11.4% | 95 | 11.2% | 48 | 8.5% |
| 11-12 wks | 73 | 11.1% | 133 | 8.5% | 74 | 5.8% | 58 | 6.9% | 43 | 7.6% |
| 13-15 wks | 40 | 6.1% | 61 | 3.9% | 66 | 5.2% | 36 | 4.3% | 17 | 3.0% |
| ≥16 wks | 8 | 1.2% | 17 | 1.1% | 10 | 0.8% | 18 | 2.1% | 8 | 1.4% |
| Type of Procedure | | | | | | | | | | |
| Suction Aspiration | 294 | 44.9% | 590 | 37.6% | 440 | 34.7% | 294 | 34.8% | 185 | 32.6% |
| RU-486 | 170 | 26.0% | 575 | 36.6% | 500 | 39.5% | 323 | 38.2% | 238 | 41.9% |
| Dilation & Curettage | 114 | 17.4% | 281 | 17.9% | 225 | 17.8% | 154 | 18.2% | 99 | 17.4% |
| Dilation & Evacuation | 73 | 11.1% | 122 | 7.8% | 98 | 7.7% | 72 | 8.5% | 39 | 6.9% |
| * (less than 5 events/populations less than 50) | | | | | | | | | | |

Table 3. 2014 Number of Legal Induced Abortions Reported – By Race and Selected Characteristics

| Characteristic | Race | | | | | | | | | |
|-----------------------------|-------|-------|-------|-------|------------|-------|-------|-------|-------|-------|
| | White | | Black | | Am. Indian | | Asian | | Other | |
| Total Number of Abortions | 2986 | % | 852 | % | 256 | % | 187 | % | 631 | % |
| <20 yrs | 384 | 12.9% | 109 | 12.8% | 38 | 14.8% | 16 | 8.6% | 96 | 15.2% |
| 20-24 yrs | 955 | 32.0% | 283 | 33.2% | 81 | 31.6% | 45 | 24.1% | 206 | 32.6% |
| 25-29 yrs | 777 | 26.0% | 226 | 26.5% | 67 | 26.2% | 44 | 23.5% | 151 | 23.9% |
| 30-34 yrs | 503 | 16.8% | 146 | 17.1% | 45 | 17.6% | 38 | 20.3% | 112 | 17.7% |
| ≥35 yrs | 359 | 12.0% | 80 | 9.4% | 17 | 6.6% | 43 | 23.0% | 61 | 9.7% |
| Education | | | | | | | | | | |
| <8th grade | 28 | 0.9% | 7 | 0.8% | 2 | 0.8% | 5 | 2.7% | 29 | 4.6% |
| 9-12 grade, no diploma | 322 | 10.8% | 82 | 9.6% | 32 | 12.5% | 14 | 7.5% | 130 | 20.6% |
| Highschool graduate or GED | 1072 | 35.9% | 313 | 36.7% | 109 | 42.6% | 63 | 33.7% | 292 | 46.3% |
| Some College Credit | 1078 | 36.1% | 318 | 37.3% | 84 | 32.8% | 56 | 29.9% | 120 | 19.0% |
| Bachelor's Degree | 364 | 12.2% | 99 | 11.6% | 23 | 9.0% | 30 | 16.0% | 42 | 6.7% |
| Post Grad Work | 115 | 3.9% | 30 | 3.5% | 6 | 2.3% | 19 | 10.2% | 15 | 2.4% |
| Previous Live Births | | | | | | | | | | |
| 0 Previous Live Births | 1311 | 43.9% | 283 | 33.2% | 110 | 43.0% | 72 | 38.5% | 231 | 36.6% |
| 1 Previous Live Birth | 737 | 24.7% | 248 | 29.1% | 60 | 23.4% | 37 | 19.8% | 137 | 21.7% |
| 2 Previous Live Births | 610 | 20.4% | 183 | 21.5% | 62 | 24.2% | 43 | 23.0% | 137 | 21.7% |
| 3 Previous Live Births | 239 | 8.0% | 83 | 9.7% | 14 | 5.5% | 23 | 12.3% | 71 | 11.3% |
| ≥4 Previous Live Births | 89 | 3.0% | 54 | 6.3% | 9 | 3.5% | 12 | 6.4% | 54 | 8.6% |
| Previous ITOPs | | | | | | | | | | |
| 0 Previous Abortions | 2036 | 68.2% | 525 | 61.6% | 167 | 65.2% | 130 | 69.5% | 466 | 73.9% |
| 1 Previous Abortion | 644 | 21.6% | 203 | 23.8% | 54 | 21.1% | 38 | 20.3% | 109 | 17.3% |
| 2 Previous Abortions | 200 | 6.7% | 68 | 8.0% | 24 | 9.4% | 13 | 7.0% | 33 | 5.2% |
| ≥3 Previous Abortions | 103 | 3.4% | 55 | 6.5% | 10 | 3.9% | 6 | 3.2% | 22 | 3.5% |
| Marital Status | | | | | | | | | | |
| Married | 431 | 14.4% | 65 | 7.6% | 20 | 7.8% | 69 | 36.9% | 98 | 15.5% |
| Never Married | 2064 | 69.1% | 746 | 87.6% | 205 | 80.1% | 103 | 55.1% | 478 | 75.8% |
| Separated | 143 | 4.8% | 14 | 1.6% | 7 | 2.7% | 3 | 1.6% | 23 | 3.6% |
| Divorced | 335 | 11.2% | 23 | 2.7% | 24 | 9.4% | 11 | 5.9% | 29 | 4.6% |
| Widowed | 13 | 0.4% | 4 | 0.5% | 0 | 0.0% | 3 | 1.6% | 3 | 0.5% |
| Gestational Age | | | | | | | | | | |
| ≤8 wks | 2282 | 76.4% | 598 | 70.2% | 183 | 71.5% | 163 | 87.2% | 463 | 73.4% |
| 9-10 wks | 337 | 11.3% | 111 | 13.0% | 21 | 8.2% | 8 | 4.3% | 73 | 11.6% |
| 11-12 wks | 226 | 7.6% | 68 | 8.0% | 28 | 10.9% | 10 | 5.3% | 49 | 7.8% |
| 13-15 wks | 104 | 3.5% | 57 | 6.7% | 21 | 8.2% | 4 | 2.1% | 37 | 5.9% |
| 16-20 wks | 37 | 1.2% | 17 | 2.0% | 3 | 1.2% | 2 | 1.1% | 6 | 1.0% |
| Type of Procedure | | | | | | | | | | |
| Suction Aspiration | 1231 | 41.2% | 328 | 38.5% | 32 | 12.5% | 71 | 38.0% | 144 | 22.8% |
| RU-486 | 1081 | 36.2% | 251 | 29.5% | 123 | 48.0% | 77 | 41.2% | 280 | 44.4% |
| Dilation & Curettage | 455 | 15.2% | 184 | 21.6% | 61 | 23.8% | 27 | 14.4% | 150 | 23.8% |
| Dilation & Evacuation | 214 | 7.2% | 86 | 10.1% | 40 | 15.6% | 11 | 5.9% | 53 | 8.4% |

Table 4. 2014 Number of Legal Induced Abortions Reported – By Gestational Age and Selected Characteristics

| Characteristic | Gestational Age | | | | | | | | | | | | | |
|---|-----------------|-------|-------|----------|-----------|-----------|---------|-------|-------|-------|-------|-------|-------|-------|
| | <6 wks | 7 wks | 8 wks | 9-10 wks | 11-12 wks | 13-15 wks | 16+ wks | | | | | | | |
| Total Number of Abortions | 2699 | 542 | 452 | 551 | 381 | 223 | 65 | 54.9% | 11.0% | 9.2% | 11.2% | 7.7% | 4.5% | 1.3% |
| White | 1718 | 299 | 265 | 337 | 226 | 104 | 37 | 63.7% | 55.2% | 58.6% | 61.2% | 59.3% | 46.6% | 56.9% |
| Black | 390 | 108 | 100 | 111 | 68 | 57 | 17 | 14.4% | 19.9% | 22.1% | 20.1% | 17.8% | 25.6% | 26.2% |
| Am. Indian | 140 | 28 | 15 | 21 | 28 | 21 | 3 | 5.2% | 5.2% | 3.3% | 3.8% | 7.3% | 9.4% | 4.6% |
| Asian | 123 | 24 | 16 | 8 | 10 | 4 | 2 | 4.6% | 4.4% | 3.5% | 1.5% | 2.6% | 1.8% | 3.1% |
| Other | 325 | 82 | 56 | 73 | 49 | 37 | 6 | 12.0% | 15.1% | 12.4% | 13.2% | 12.9% | 16.6% | 9.2% |
| Age of Mother | | | | | | | | | | | | | | |
| <20 yrs | 280 | 86 | 77 | 89 | 73 | 40 | 12 | 10.4% | 15.9% | 17.0% | 16.2% | 19.2% | 17.9% | 18.5% |
| 20-24 yrs | 867 | 178 | 140 | 174 | 133 | 61 | 17 | 32.1% | 32.8% | 31.0% | 31.6% | 34.9% | 27.4% | 26.2% |
| 25-29 yrs | 735 | 125 | 109 | 145 | 74 | 66 | 10 | 27.2% | 23.1% | 24.1% | 26.3% | 19.4% | 29.6% | 15.4% |
| 30-34 yrs | 470 | 84 | 84 | 95 | 58 | 36 | 18 | 17.4% | 15.5% | 18.6% | 17.2% | 15.2% | 16.1% | 27.7% |
| ≥35 yrs | 342 | 69 | 41 | 48 | 43 | 17 | 8 | 12.7% | 12.7% | 9.1% | 8.7% | 11.3% | 7.6% | 12.3% |
| Mother's Education | | | | | | | | | | | | | | |
| < 8th grade | 27 | 12 | 7 | 7 | 12 | * | * | 1.0% | 2.2% | 1.5% | 1.3% | 3.1% | * | * |
| 9-12 grade, no diploma | 241 | 80 | 59 | 89 | 63 | 36 | 11 | 8.9% | 14.8% | 13.1% | 16.2% | 16.5% | 16.1% | 16.9% |
| Highschool graduate or GED | 971 | 193 | 171 | 230 | 159 | 105 | 22 | 36.0% | 35.6% | 37.8% | 41.7% | 41.7% | 47.1% | 33.8% |
| Some college | 959 | 186 | 142 | 170 | 117 | 61 | 18 | 35.5% | 34.3% | 31.4% | 30.9% | 30.7% | 27.4% | 27.7% |
| College graduate | 373 | 56 | 54 | 37 | 19 | 12 | 8 | 13.8% | 10.3% | 11.9% | 6.7% | 5.0% | 5.4% | 12.3% |
| Post grad work | 121 | 15 | 19 | 17 | 11 | * | * | 4.5% | 2.8% | 4.2% | 3.1% | 2.9% | * | * |
| Marital Status | | | | | | | | | | | | | | |
| Married | 443 | 72 | 47 | 67 | 25 | 25 | 4 | 16.4% | 13.3% | 10.4% | 12.2% | 6.6% | 11.2% | 6.2% |
| Never Married | 1876 | 412 | 363 | 414 | 300 | 180 | 53 | 69.5% | 76.0% | 80.3% | 75.1% | 78.7% | 80.7% | 81.5% |
| Separated | 110 | 13 | 18 | 24 | 17 | 3 | 5 | 4.1% | 2.4% | 4.0% | 4.4% | 4.5% | 1.3% | 7.7% |
| Divorced | 257 | 44 | 22 | 45 | 35 | 15 | 4 | 9.5% | 8.1% | 4.9% | 8.2% | 9.2% | 6.7% | 6.2% |
| Widowed | 13 | 1 | 2 | 1 | 3 | 0 | 0 | 0.5% | 0.2% | 0.4% | 0.2% | 0.8% | 0.0% | 0.0% |
| Previous Live Births | | | | | | | | | | | | | | |
| 0 Previous Births | 1148 | 195 | 203 | 203 | 155 | 75 | 24 | 42.5% | 36.0% | 44.9% | 36.8% | 40.7% | 33.6% | 36.9% |
| 1 Previous Birth | 644 | 145 | 96 | 174 | 93 | 57 | 17 | 23.9% | 26.8% | 21.2% | 31.6% | 24.4% | 25.6% | 26.2% |
| 2 Previous Births | 578 | 118 | 107 | 97 | 74 | 52 | 9 | 21.4% | 21.8% | 23.7% | 17.6% | 19.4% | 23.3% | 13.8% |
| 3 Previous Births | 225 | 50 | 30 | 52 | 37 | 27 | 9 | 8.3% | 9.2% | 6.6% | 9.4% | 9.7% | 12.1% | 13.8% |
| ≥4 Previous Births | 101 | 34 | 16 | 25 | 23 | 12 | 6 | 3.7% | 6.3% | 3.5% | 4.5% | 6.0% | 5.4% | 9.2% |
| Previous ITOPs | | | | | | | | | | | | | | |
| 0 Previous Abortions | 1823 | 368 | 305 | 376 | 262 | 154 | 33 | 67.5% | 67.9% | 67.5% | 68.2% | 68.8% | 69.1% | 50.8% |
| 1 Previous Abortion | 572 | 110 | 103 | 128 | 72 | 45 | 20 | 21.2% | 20.3% | 22.8% | 23.2% | 18.9% | 20.2% | 30.8% |
| 2 Previous Abortions | 199 | 38 | 24 | 25 | 30 | 17 | 5 | 7.4% | 7.0% | 5.3% | 4.5% | 7.9% | 7.6% | 7.7% |
| ≥3 Previous Abortions | 99 | 26 | 20 | 22 | 18 | 7 | 4 | 3.7% | 4.8% | 4.4% | 4.0% | 4.7% | 3.1% | 6.2% |
| Type of Procedure | | | | | | | | | | | | | | |
| Suction Aspiration | 926 | 252 | 208 | 258 | 162 | 0 | 0 | 34.3% | 46.5% | 46.0% | 46.8% | 42.5% | 0.0% | 0.0% |
| RU-486 | 1639 | 117 | 50 | 2 | 3 | 0 | 0 | 60.7% | 21.6% | 11.1% | 0.4% | 0.8% | 0.0% | 0.0% |
| Dilation & Curettage | 116 | 159 | 170 | 275 | 86 | 71 | 3 | 4.3% | 29.3% | 37.6% | 49.9% | 22.6% | 31.8% | 4.6% |
| Dilation & Evacuation | 14 | 13 | 23 | 16 | 130 | 51 | 55 | 0.5% | 2.4% | 5.1% | 2.9% | 34.1% | 22.9% | 84.6% |
| * (less than 5 events/populations less than 50) | | | | | | | | | | | | | | |

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 3/21/2016<<http://www.health.state.ok.us/stats/index.shtml>

Table 5. 2014 Number of Legal Induced Abortions Reported – By Marital Status and Selected Characteristics

| Characteristic | Marital Status | | | | | | | |
|-----------------------------|----------------|-------|---------------|-------|-----------|-------|----------|-------|
| | Married | | Never Married | | Separated | | Divorced | |
| Total Number of Abortions | 683 | % | 3601 | % | 190 | % | 422 | % |
| White | 431 | 63.1% | 2064 | 57.3% | 143 | 75.3% | 335 | 79.4% |
| Black | 65 | 9.5% | 746 | 20.7% | 14 | 7.4% | 23 | 5.5% |
| American Indian | 20 | 2.9% | 205 | 5.7% | 7 | 3.7% | 24 | 5.7% |
| Asian | 69 | 10.1% | 103 | 2.9% | 3 | 1.6% | 11 | 2.6% |
| Other | 98 | 14.3% | 478 | 13.3% | 23 | 12.1% | 29 | 6.9% |
| Education | | | | | | | | |
| <8th grade | 5 | 0.7% | 60 | 1.7% | 3 | 1.6% | 2 | 0.5% |
| 9-12 grade, no diploma | 48 | 7.0% | 484 | 13.4% | 18 | 9.5% | 27 | 6.4% |
| Highschool graduate or GED | 236 | 34.6% | 1391 | 38.6% | 82 | 43.2% | 136 | 32.2% |
| Some College Credit | 210 | 30.7% | 1203 | 33.4% | 67 | 35.3% | 167 | 39.6% |
| Bachelor's Degree | 133 | 19.5% | 340 | 9.4% | 15 | 7.9% | 69 | 16.4% |
| Post Grad Work | 49 | 7.2% | 113 | 3.1% | 3 | 1.6% | 21 | 5.0% |
| Previous Live Births | | | | | | | | |
| 0 Previous Live Births | 106 | 15.5% | 1830 | 50.8% | 22 | 11.6% | 46 | 10.9% |
| 1 Previous Live Birth | 140 | 20.5% | 901 | 25.0% | 51 | 26.8% | 125 | 29.6% |
| 2 Previous Live Births | 263 | 38.5% | 547 | 15.2% | 59 | 31.1% | 162 | 38.4% |
| 3 Previous Live Births | 108 | 15.8% | 217 | 6.0% | 35 | 18.4% | 65 | 15.4% |
| ≥4 Previous Live Births | 65 | 9.5% | 104 | 2.9% | 23 | 12.1% | 24 | 5.7% |
| Previous Abortions | | | | | | | | |
| 0 Previous Abortions | 446 | 65.3% | 2524 | 70.1% | 119 | 62.6% | 225 | 53.3% |
| 1 Previous Abortion | 151 | 22.1% | 733 | 20.4% | 45 | 23.7% | 118 | 28.0% |
| 2 Previous Abortions | 58 | 8.5% | 215 | 6.0% | 18 | 9.5% | 45 | 10.7% |
| ≥3 Previous Abortions | 26 | 3.8% | 126 | 3.5% | 8 | 4.2% | 33 | 7.8% |
| Gestational Age | | | | | | | | |
| ≤8 wks | 562 | 82.3% | 2651 | 73.6% | 141 | 74.2% | 323 | 76.5% |
| 9-10 wks | 67 | 9.8% | 414 | 11.5% | 24 | 12.6% | 45 | 10.7% |
| 11-12 wks | 25 | 3.7% | 300 | 8.3% | 17 | 8.9% | 35 | 8.3% |
| 13-15 wks | 25 | 3.7% | 180 | 5.0% | 3 | 1.6% | 15 | 3.6% |
| ≥16 wks | 4 | 0.6% | 60 | 1.7% | 5 | 2.6% | 4 | 0.9% |
| Type of Procedure | | | | | | | | |
| Suction Aspiration | 252 | 36.9% | 1295 | 36.0% | 66 | 34.7% | 191 | 45.3% |
| RU-486 | 295 | 43.2% | 1280 | 35.5% | 75 | 39.5% | 153 | 36.3% |
| Dilation & Curettage | 97 | 14.2% | 694 | 19.3% | 33 | 17.4% | 50 | 11.8% |
| Dilation & Evacuation | 35 | 5.1% | 323 | 9.0% | 16 | 8.4% | 28 | 6.6% |
| Age of Mother | | | | | | | | |
| <20 yrs | 6 | 0.9% | 644 | 17.9% | 2 | 1.1% | 5 | 1.2% |
| 20-24 yrs | 110 | 16.1% | 1367 | 38.0% | 44 | 23.2% | 47 | 11.1% |
| 25-29 yrs | 199 | 29.1% | 897 | 24.9% | 56 | 29.5% | 110 | 26.1% |
| 30-34 yrs | 192 | 28.1% | 468 | 13.0% | 50 | 26.3% | 129 | 30.6% |
| ≥ 35 yrs | 175 | 25.6% | 225 | 6.2% | 38 | 20.0% | 131 | 31.0% |

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 6/9/2016<<http://www.health.state.ok.us/stats/index.shtml>

Table 6. 2014 Number of Legal Induced Abortions Reported – By Type of Procedure and Selected Characteristics

| Characteristic | Type of Procedure | | RU-486 | | Dilation & Curettage | | Dilation & Evacuation | |
|-----------------------------|--------------------|-------|--------|-------|----------------------|-------|-----------------------|-------|
| | Suction Aspiration | | | | | | | |
| Total Number of Abortions | 1807 | % | 1813 | % | 880 | % | 404 | % |
| White | 1231 | 68.1% | 1081 | 59.6% | 455 | 51.7% | 214 | 53.0% |
| Black | 328 | 18.2% | 251 | 13.8% | 184 | 20.9% | 86 | 21.3% |
| American Indian | 32 | 1.8% | 123 | 6.8% | 61 | 6.9% | 40 | 9.9% |
| Asian | 71 | 3.9% | 77 | 4.2% | 27 | 3.1% | 11 | 2.7% |
| Other | 144 | 8.0% | 280 | 15.4% | 150 | 17.0% | 53 | 13.1% |
| Age of Mother | | | | | | | | |
| < 20 yrs | 294 | 16.3% | 170 | 9.4% | 114 | 13.0% | 73 | 18.1% |
| 20-24 yrs | 590 | 32.7% | 575 | 31.7% | 281 | 31.9% | 122 | 30.2% |
| 25-29 yrs | 440 | 24.3% | 500 | 27.6% | 225 | 25.6% | 98 | 24.3% |
| 30-34 yrs | 294 | 16.3% | 323 | 17.8% | 154 | 17.5% | 72 | 17.8% |
| ≥35 yrs | 189 | 10.5% | 239 | 13.2% | 99 | 11.3% | 39 | 9.7% |
| Marital Status | | | | | | | | |
| Married | 252 | 13.9% | 295 | 16.3% | 97 | 11.0% | 35 | 8.7% |
| Unmarried | 1295 | 71.7% | 1280 | 70.6% | 694 | 78.9% | 323 | 80.0% |
| Separated | 66 | 3.7% | 75 | 4.1% | 33 | 3.8% | 16 | 4.0% |
| Divorced | 191 | 10.6% | 153 | 8.4% | 50 | 5.7% | 28 | 6.9% |
| Education | | | | | | | | |
| < 8th grade | 12 | 0.7% | 24 | 1.3% | 22 | 2.5% | 12 | 3.0% |
| 9-12 grade, no diploma | 214 | 11.8% | 159 | 8.8% | 141 | 16.0% | 63 | 15.6% |
| Highschool graduate or GED | 517 | 28.6% | 733 | 40.4% | 408 | 46.4% | 188 | 46.5% |
| Some College Credit | 708 | 39.2% | 598 | 33.0% | 238 | 27.0% | 109 | 27.0% |
| Bachelor's Degree | 247 | 13.7% | 238 | 13.1% | 50 | 5.7% | 24 | 5.9% |
| Post Grad Work | 109 | 6.0% | 54 | 3.0% | 18 | 2.0% | 5 | 1.2% |
| Previous Live Births | | | | | | | | |
| 0 Previous Live Births | 791 | 43.8% | 762 | 42.0% | 304 | 34.5% | 146 | 36.1% |
| 1 Previous Live Birth | 430 | 23.8% | 429 | 23.7% | 259 | 29.4% | 100 | 24.8% |
| 2 Previous Live Births | 370 | 20.5% | 393 | 21.7% | 181 | 20.6% | 90 | 22.3% |
| 3 Previous Live Births | 149 | 8.2% | 147 | 8.1% | 89 | 10.1% | 44 | 10.9% |
| ≥ 4 Previous Live Births | 66 | 3.7% | 81 | 4.5% | 46 | 5.2% | 24 | 5.9% |
| Previous Abortions | | | | | | | | |
| 0 Previous Abortions | 1259 | 69.7% | 1217 | 67.1% | 586 | 66.6% | 254 | 62.9% |
| 1 Previous Abortion | 361 | 20.0% | 395 | 21.8% | 204 | 23.2% | 89 | 22.0% |
| 2 Previous Abortions | 114 | 6.3% | 122 | 6.7% | 62 | 7.0% | 39 | 9.7% |
| ≥ 3 Previous Abortions | 72 | 4.0% | 75 | 4.1% | 27 | 3.1% | 22 | 5.4% |
| Gestational Age | | | | | | | | |
| ≤ 6 wks | 926 | 51.2% | 1639 | 90.4% | 116 | 13.2% | 14 | 3.5% |
| 7 wks | 252 | 13.9% | 117 | 6.5% | 159 | 18.1% | 13 | 3.2% |
| 8 wks | 208 | 16.9% | 50 | 2.8% | 170 | 19.3% | 23 | 5.7% |
| 9-10 wks | 258 | 14.3% | 2 | 0.1% | 275 | 31.3% | 16 | 4.0% |
| 11-12 wks | 162 | 9.0% | 3 | 0.2% | 86 | 9.8% | 130 | 32.2% |
| 13-15 wks | 0 | 0.0% | 0 | 0.0% | 71 | 8.1% | 151 | 37.4% |
| 16 + wks | 0 | 0.0% | 0 | 0.0% | 3 | 0.3% | 57 | 14.1% |

Table 7. 2014 Number of Legal Induced Abortions Reported – By Mother’s Education and Selected Characteristics

| Characteristics | Education of Mother | | | | | | | | | | | |
|-----------------------------|---------------------|-------|------------------|-------|--------------------|-------|--------------|-------|-------------------|-------|----------------|-------|
| | < 8th grade | | 9-12, no diploma | | H.S./GED completed | | Some College | | Bachelor's Degree | | Post Grad Work | |
| Total # of abortions | 70 | % | 581 | % | 1851 | % | 1656 | % | 559 | % | 186 | % |
| White | 28 | 40.0% | 322 | 55.4% | 1072 | 57.9% | 1078 | 65.1% | 364 | 65.1% | 115 | 61.8% |
| Black | 7 | 10.0% | 82 | 14.1% | 313 | 16.9% | 318 | 19.2% | 99 | 17.7% | 30 | 16.1% |
| American Indian | 2 | 2.9% | 32 | 5.5% | 109 | 5.9% | 84 | 5.1% | 23 | 4.1% | 6 | 3.2% |
| Asian | 4 | 5.7% | 14 | 2.4% | 63 | 3.4% | 56 | 3.4% | 30 | 5.4% | 19 | 10.2% |
| Other | 29 | 41.4% | 130 | 22.4% | 292 | 15.8% | 120 | 7.2% | 42 | 7.5% | 15 | 8.1% |
| Age of Mother | | | | | | | | | | | | |
| <20 yrs | 22 | 31.4% | 249 | 42.9% | 256 | 13.8% | 121 | 7.3% | 0 | 0.0% | 1 | 0.5% |
| 20-24 yrs | 20 | 28.6% | 113 | 19.4% | 674 | 36.4% | 624 | 37.7% | 113 | 20.2% | 25 | 13.4% |
| 25-29 yrs | 11 | 15.7% | 119 | 20.5% | 469 | 25.3% | 427 | 25.8% | 186 | 33.3% | 55 | 29.6% |
| 30-34 yrs | 10 | 14.3% | 71 | 12.2% | 281 | 15.2% | 270 | 16.3% | 147 | 26.3% | 63 | 33.9% |
| ≥ 35 yrs | 7 | 10.0% | 27 | 4.6% | 169 | 9.1% | 207 | 12.5% | 113 | 20.2% | 42 | 22.6% |
| Marital Status | | | | | | | | | | | | |
| Married | 5 | 7.1% | 48 | 8.3% | 236 | 12.7% | 210 | 12.7% | 133 | 23.8% | 49 | 26.3% |
| Never Married | 60 | 85.7% | 484 | 83.3% | 1391 | 75.1% | 1203 | 72.6% | 340 | 60.8% | 113 | 60.8% |
| Separated | 3 | 4.3% | 18 | 3.1% | 82 | 4.4% | 67 | 4.0% | 15 | 2.7% | 3 | 1.6% |
| Divorced | 2 | 2.9% | 27 | 4.6% | 136 | 7.3% | 167 | 10.1% | 69 | 12.3% | 21 | 11.3% |
| Previous Live Births | | | | | | | | | | | | |
| 0 Live Births | 26 | 37.1% | 254 | 43.7% | 654 | 35.3% | 711 | 42.9% | 261 | 46.7% | 96 | 51.6% |
| 1 Live Birth | 11 | 15.7% | 113 | 19.4% | 522 | 28.2% | 412 | 24.9% | 121 | 21.6% | 40 | 21.5% |
| 2 Live Births | 12 | 17.1% | 119 | 20.5% | 400 | 21.6% | 352 | 21.3% | 119 | 21.3% | 34 | 18.3% |
| 3 Live Births | 9 | 12.9% | 48 | 8.3% | 195 | 10.5% | 122 | 7.4% | 41 | 7.3% | 13 | 7.0% |
| ≥4 Live Births | 12 | 17.1% | 46 | 7.9% | 79 | 4.3% | 59 | 3.6% | 17 | 3.0% | 3 | 1.6% |
| Previous Abortions | | | | | | | | | | | | |
| 0 Abortions | 53 | 75.7% | 431 | 74.2% | 1226 | 66.2% | 1109 | 67.0% | 379 | 67.8% | 117 | 62.9% |
| 1 Abortion | 10 | 14.3% | 102 | 17.6% | 409 | 22.1% | 363 | 21.9% | 116 | 20.8% | 48 | 25.8% |
| 2 Abortions | 6 | 8.6% | 31 | 5.3% | 139 | 7.5% | 106 | 6.4% | 38 | 6.8% | 18 | 9.7% |
| ≥3 Abortions | 1 | 1.4% | 16 | 2.8% | 75 | 4.1% | 75 | 4.5% | 26 | 4.7% | 3 | 1.6% |
| Gestational Age | | | | | | | | | | | | |
| ≤6 wks | 27 | 38.6% | 241 | 41.5% | 971 | 52.5% | 959 | 57.9% | 373 | 66.7% | 121 | 65.1% |
| 7 wks | 12 | 17.1% | 80 | 13.8% | 193 | 10.4% | 186 | 11.2% | 56 | 10.0% | 15 | 8.1% |
| 8 wks | 7 | 10.0% | 59 | 10.2% | 171 | 9.2% | 142 | 8.6% | 54 | 9.7% | 19 | 10.2% |
| 9-10 wks | 7 | 10.0% | 89 | 15.3% | 230 | 12.4% | 170 | 10.3% | 37 | 6.6% | 17 | 9.1% |
| 11-12 wks | 12 | 17.1% | 63 | 10.8% | 159 | 8.6% | 117 | 7.1% | 19 | 3.4% | 11 | 5.9% |
| 13-15 wks | * | | 36 | 6.2% | 105 | 5.7% | 61 | 3.7% | 12 | 2.1% | * | |
| 16+ wks | * | | 11 | 1.9% | 22 | 1.2% | 21 | 1.3% | 8 | 1.4% | * | |
| Type of Procedure | | | | | | | | | | | | |
| Suction Aspiration | 12 | 17.1% | 214 | 36.8% | 517 | 27.9% | 708 | 42.8% | 247 | 44.2% | 109 | 58.6% |
| RU-486 | 24 | 34.3% | 159 | 27.4% | 733 | 39.6% | 598 | 36.1% | 238 | 42.6% | 54 | 29.0% |
| Dilation & Curettage | 22 | 31.4% | 141 | 24.3% | 408 | 22.0% | 238 | 14.4% | 50 | 8.9% | 18 | 9.7% |
| Dilation & Evacuation | 12 | 17.1% | 63 | 10.8% | 188 | 10.2% | 109 | 6.6% | 24 | 4.3% | 5 | 2.7% |

* (less than 5 events/populations less than 50)

Table 8. 2014 Number of Legal Induced Abortions Reported – By Previous Live Births and Selected Characteristics

| Characteristics | Previous Live Births | | | | | | | | | |
|---------------------------|----------------------|-------|---------|-------|----------|-------|----------|-------|-----------|-------|
| | 0 births | | 1 birth | | 2 births | | 3 births | | ≥4 births | |
| Total # of Abortions | 2008 | % | 1222 | % | 1036 | % | 430 | % | 218 | % |
| White | 1311 | 65.3% | 737 | 60.3% | 610 | 58.9% | 239 | 55.6% | 89 | 40.8% |
| Black | 283 | 14.1% | 248 | 20.3% | 183 | 17.7% | 83 | 19.3% | 54 | 24.8% |
| American Indian | 110 | 5.5% | 60 | 4.9% | 63 | 6.1% | 14 | 3.3% | 9 | 4.1% |
| Asian | 72 | 3.6% | 37 | 3.0% | 43 | 4.2% | 23 | 5.3% | 12 | 5.5% |
| Other | 231 | 11.5% | 137 | 11.2% | 137 | 13.2% | 71 | 16.5% | 54 | 24.8% |
| Age of Mother | | | | | | | | | | |
| < 20 yrs | 552 | 27.5% | 87 | 7.1% | 12 | 1.2% | * | | * | |
| 20-24 yrs | 835 | 41.6% | 437 | 35.8% | 237 | 22.9% | 52 | 12.1% | 10 | 4.6% |
| 25-29 yrs | 391 | 19.5% | 364 | 29.8% | 322 | 31.1% | 135 | 31.4% | 53 | 24.3% |
| 30-34 yrs | 141 | 7.0% | 221 | 18.1% | 279 | 26.9% | 124 | 28.8% | 80 | 36.7% |
| ≥ 35 yrs | 79 | 3.9% | 113 | 9.2% | 185 | 17.9% | 115 | 26.7% | 71 | 32.6% |
| Marital Status | | | | | | | | | | |
| Married | 106 | 5.3% | 140 | 11.5% | 264 | 25.5% | 108 | 25.1% | 65 | 29.8% |
| Never Married | 1830 | 91.1% | 901 | 73.7% | 547 | 52.8% | 217 | 50.5% | 104 | 47.7% |
| Separated | 22 | 1.1% | 51 | 4.2% | 59 | 5.7% | 35 | 8.1% | 23 | 10.6% |
| Divorced | 46 | 2.3% | 125 | 10.2% | 162 | 15.6% | 65 | 15.1% | 24 | 11.0% |
| Education | | | | | | | | | | |
| < 8th grade | 26 | 1.3% | 11 | 0.9% | 12 | 1.2% | 9 | 2.1% | 12 | 5.5% |
| 9-12 no diploma | 254 | 12.6% | 113 | 9.2% | 119 | 11.5% | 48 | 11.2% | 46 | 21.1% |
| HS/GED completed | 654 | 32.6% | 522 | 42.7% | 400 | 38.6% | 195 | 45.3% | 79 | 36.2% |
| Some College | 711 | 35.4% | 412 | 33.7% | 352 | 34.0% | 122 | 28.4% | 59 | 27.1% |
| Bachelor's Degree | 261 | 13.0% | 121 | 9.9% | 119 | 11.5% | 41 | 9.5% | 17 | 7.8% |
| Post Grad Work | 96 | 4.8% | 40 | 3.3% | 34 | 3.3% | 13 | 3.0% | 3 | 1.4% |
| Previous Abortions | | | | | | | | | | |
| 0 Abortions | 1587 | 79.0% | 786 | 64.3% | 595 | 57.4% | 251 | 58.4% | 108 | 49.5% |
| 1 Abortion | 314 | 15.6% | 292 | 23.9% | 285 | 27.5% | 107 | 24.9% | 52 | 23.9% |
| 2 Abortions | 70 | 3.5% | 95 | 7.8% | 94 | 9.1% | 46 | 10.7% | 33 | 15.1% |
| ≥ 3 Abortions | 37 | 1.8% | 49 | 4.0% | 60 | 5.8% | 26 | 6.0% | 24 | 11.0% |
| Gestational Age | | | | | | | | | | |
| ≤ 6 wks | 1148 | 57.2% | 644 | 52.7% | 579 | 55.9% | 225 | 52.3% | 101 | 46.3% |
| 7 wks | 195 | 9.7% | 145 | 11.9% | 118 | 11.4% | 50 | 11.6% | 34 | 15.6% |
| 8 wks | 203 | 10.1% | 96 | 7.9% | 107 | 10.3% | 30 | 7.0% | 16 | 7.3% |
| 9-10 wks | 203 | 10.1% | 174 | 14.2% | 97 | 9.4% | 52 | 12.1% | 25 | 11.5% |
| 11-12 wks | 155 | 7.7% | 93 | 7.6% | 74 | 7.1% | 37 | 8.6% | 23 | 10.6% |
| 13-15 wks | 75 | 3.7% | 57 | 4.7% | 52 | 5.0% | 27 | 6.3% | 12 | 5.5% |
| 16+ wks | 24 | 1.2% | 13 | 1.1% | 9 | 0.9% | 9 | 2.1% | 6 | 2.8% |
| Type of Procedure | | | | | | | | | | |
| Suction Aspiration | 791 | 39.4% | 430 | 35.2% | 370 | 35.7% | 149 | 34.7% | 66 | 30.3% |
| RU-486 | 762 | 37.9% | 429 | 35.1% | 393 | 37.9% | 147 | 34.2% | 81 | 37.2% |
| Dilation & Curettage | 304 | 15.1% | 259 | 21.2% | 181 | 17.5% | 89 | 20.7% | 46 | 21.1% |
| Dilation & Evacuation | 146 | 7.3% | 100 | 8.2% | 90 | 8.7% | 44 | 10.2% | 24 | 11.0% |

* (less than 5 events/populations less than 50)

Table 9. 2014 Number of Legal Induced Abortions Reported – By Previous Abortions and Selected Characteristics

| Characteristics | Previous Abortions | | | | | | | |
|-----------------------------|--------------------|-------|------------|-------|-------------|-------|---------------|-------|
| | 0 Abortions | | 1 Abortion | | 2 Abortions | | ≥ 3 Abortions | |
| Total # of abortions | 3327 | % | 1050 | % | 338 | % | 196 | % |
| White | 2036 | 61.2% | 644 | 61.3% | 200 | 59.2% | 103 | 52.6% |
| Black | 525 | 15.8% | 203 | 19.3% | 68 | 20.1% | 55 | 28.1% |
| American Indian | 167 | 5.0% | 54 | 5.1% | 24 | 7.1% | 10 | 5.1% |
| Asian | 130 | 3.9% | 38 | 3.6% | 13 | 3.8% | 6 | 3.1% |
| Other | 466 | 14.0% | 109 | 10.4% | 33 | 9.8% | 22 | 11.2% |
| Age of Mother | | | | | | | | |
| < 20 yrs | 609 | 18.3% | 38 | 3.6% | 1 | 0.3% | 7 | 3.6% |
| 20-24 yrs | 1185 | 35.6% | 301 | 28.7% | 64 | 18.9% | 19 | 9.7% |
| 25-29 yrs | 790 | 23.7% | 318 | 30.3% | 90 | 26.6% | 66 | 33.7% |
| 30-34 yrs | 446 | 13.4% | 228 | 21.7% | 116 | 34.3% | 54 | 27.6% |
| ≥ 35 yrs | 287 | 8.6% | 165 | 15.7% | 67 | 19.8% | 52 | 26.5% |
| Marital Status | | | | | | | | |
| Married | 446 | 13.4% | 151 | 14.4% | 58 | 17.2% | 26 | 13.3% |
| Never Married | 2524 | 75.9% | 733 | 69.8% | 215 | 63.6% | 126 | 64.3% |
| Separated | 119 | 3.6% | 45 | 4.3% | 18 | 5.3% | 8 | 4.1% |
| Divorced | 225 | 6.8% | 118 | 11.2% | 45 | 13.3% | 33 | 16.8% |
| Education | | | | | | | | |
| < 8th grade | 53 | 1.6% | 10 | 1.0% | 6 | 1.8% | 1 | 0.5% |
| 9-12 no diploma | 431 | 13.0% | 102 | 9.7% | 31 | 9.2% | 16 | 8.2% |
| HS/GED completed | 1226 | 36.9% | 409 | 39.0% | 139 | 41.1% | 75 | 38.3% |
| Some College | 1109 | 33.3% | 363 | 34.6% | 106 | 31.4% | 75 | 38.3% |
| Bachelor's Degree | 379 | 11.4% | 116 | 11.0% | 38 | 11.2% | 26 | 13.3% |
| Post Grad Work | 117 | 3.5% | 48 | 4.6% | 18 | 5.3% | 3 | 1.5% |
| Previous Live Births | | | | | | | | |
| 0 Live Births | 1587 | 47.7% | 314 | 29.9% | 70 | 20.7% | 37 | 18.9% |
| 1 Live Birth | 786 | 23.6% | 292 | 27.8% | 95 | 28.1% | 49 | 25.0% |
| 2 Live Births | 595 | 17.9% | 285 | 27.1% | 94 | 27.8% | 60 | 30.6% |
| 3 Live Births | 251 | 7.5% | 107 | 10.2% | 46 | 13.6% | 26 | 13.3% |
| ≥ 4 Live Births | 108 | 3.2% | 52 | 5.0% | 33 | 9.8% | 24 | 12.2% |
| Gestational Age | | | | | | | | |
| ≤ 6 wks | 1823 | 54.8% | 572 | 54.5% | 199 | 58.9% | 99 | 50.5% |
| 7 wks | 368 | 11.1% | 110 | 10.5% | 38 | 11.2% | 26 | 13.3% |
| 8 wks | 305 | 9.2% | 103 | 9.8% | 24 | 7.1% | 20 | 10.2% |
| 9-10 wks | 376 | 11.3% | 128 | 12.2% | 25 | 7.4% | 22 | 11.2% |
| 11-12 wks | 262 | 7.9% | 72 | 6.9% | 30 | 8.9% | 18 | 9.2% |
| 13-15 wks | 154 | 4.6% | 45 | 4.3% | 17 | 5.0% | 7 | 3.6% |
| 16+ wks | 33 | 1.0% | 20 | 1.9% | 5 | 1.5% | 4 | 2.0% |
| Type of Procedure | | | | | | | | |
| Suction Aspiration | 1259 | 37.8% | 361 | 34.4% | 114 | 33.7% | 72 | 36.7% |
| RU-486 | 1217 | 36.6% | 395 | 37.6% | 122 | 36.1% | 75 | 38.3% |
| Dilation & Curettage | 586 | 17.6% | 204 | 19.4% | 62 | 18.3% | 27 | 13.8% |
| Dilation & Evacuation | 254 | 7.6% | 89 | 8.5% | 39 | 11.5% | 22 | 11.2% |