

2016 Oklahoma Abortion Statistics

A Woman's Right to Know

Introduction

The Oklahoma State Department of Health (OSDH) collects statistical data of the abortions performed in licensed abortion facilities in Oklahoma. This data is used to monitor legal induced abortion in the state and to describe those women receiving legal abortion services. The data referred to in this report has been taken from <http://www.health.state.ok.us/ok2share/> and compiled to present common characteristics of women who obtained legal abortions in the state of Oklahoma.


Table 1. 2016 Number of Legal Induced Abortions Reported

In 2016, 4,294 abortions were reported to OSDH. This averages to 358 abortions per month.


Oklahoma State Abortion Statistics 2016					
<i>Number of Legal Induced Abortions Reported</i>					
Total number of Abortions			Total number of Abortions		
	4294			4294	
Age (yrs)	Number	Percentage	Previous Live Births	Number	Percentage
<20	425	9.9%	0	1678	39.1%
20-24	1337	31.1%	1	1074	25.0%
25-29	1210	28.2%	2	893	20.8%
30-34	770	17.9%	3	424	9.9%
≥35	547	12.7%	≥4	217	5.1%
Race			Previous Abortions		
White	2518	58.6%	0	2846	66.3%
Black	846	19.7%	1	996	23.2%
American Indian	193	4.5%	2	310	7.2%
Asian	159	3.7%	≥3	134	3.1%
Other	573	13.3%	Gestational Age		
Marital Status			≤ 6 wks	2553	59.5%
Married	652	15.2%	7 wks	475	11.1%
Never Married	3149	73.3%	8 wks	332	7.7%
Separated	173	4.0%	9-10 wks	472	11.0%
Divorced	307	7.1%	11-12 wks	313	7.3%
Widowed	12	0.3%	13-15 wks	117	2.7%
Education			16-20 wks	25	0.6%
<8th grade	52	1.2%	21+ wks	7	0.2%
9-12 grade, no diploma	375	8.7%	Type of Procedure		
Highschool graduate or GED	1697	39.5%	Suction Aspiration	1847	43.0%
Some College Credit	1457	33.9%	RU-486	1872	43.6%
Bachelor's Degree	556	12.9%	Dilation & Curettage	330	7.7%
Post Grad Work	153	3.6%	Dilation & Evacuation	227	5.3%
			Unknown	18	0.4%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 11/8/2017<<http://www.health.state.ok.us/stats/index.shtml>


The majority of abortions were obtained by women aged 20-29 years of age (59.3%). Women over 30 years of age comprised 30.6% of the abortions while women under the age of 20 obtained 9.9% of the abortions.




The majority of abortions were to white women (58.6%), with black women at 19.7% and the lowest percentage was Asian women (3.7%).




The majority of abortions were to women who have never been married (73.3%). Married women obtained 15.2% of the abortions in 2016, and women who were separated or divorced obtained 11.1%.




The highest percentage of abortions were to women who have attained a high school diploma or GED (39.5%), the next was to women who have some college credits, but not graduated (33.9%).




In 2016, 60.9% of the abortions were on women who have had at least one prior live birth. Women who had no prior live births comprised 39.1%.



Women who had no previous abortions were 66.3% while 33.7% of the abortions were obtained by women who have had at least one or more previous abortions.



The majority of abortions in Oklahoma were performed on women in the first 8 weeks of pregnancy (78.3%).



The two most common procedures used on women obtaining abortions were Suction Aspiration, first trimester surgical procedure (43.0%) and RU-486, non-surgical (43.6%).




Table 2. 2016 Number of Legal Induced Abortions Reported – By Age Groups and Selected Characteristics

Characteristic	Age Group (yrs)		4294 Total reported abortions							
	<20		20-24		25-29		30-34		≥35	
Total Number of Abortions	425	9.9%	1337	31.1%	1210	28.2%	770	17.9%	547	12.7%
White	256	60.2%	800	59.8%	695	57.4%	448	58.2%	318	58.1%
Black	71	16.7%	276	20.6%	259	21.4%	163	21.2%	77	14.1%
American Indian	29	6.8%	54	4.0%	54	4.5%	28	3.6%	28	5.1%
Asian	6	1.4%	33	2.5%	39	3.2%	34	4.4%	45	8.2%
Other	64	15.1%	174	13.0%	163	13.5%	93	12.1%	79	14.4%
Education										
<8th grade	14	3.3%	10	0.7%	7	0.6%	9	1.2%	12	2.2%
9-12 grade, no diploma	133	31.3%	85	6.4%	82	6.8%	46	6.0%	24	4.4%
Highschool graduate or GED	181	42.6%	579	43.3%	469	38.8%	282	36.6%	181	33.1%
Some College Credit	91	21.4%	527	39.4%	416	34.4%	254	33.0%	169	30.9%
Bachelor's Degree	0	0.0%	114	8.5%	192	15.9%	140	18.2%	110	20.1%
Post Grad Work	<5	1.2%	22	1.6%	44	3.6%	38	4.9%	45	8.2%
Marital Status										
Married	8	1.9%	99	7.4%	194	16.0%	173	22.5%	175	32.0%
Never Married	415	97.6%	1178	88.1%	859	71.0%	457	59.4%	240	43.9%
Separated	0	0.0%	25	1.9%	62	5.1%	47	6.1%	39	7.1%
Divorced	1	0.2%	34	2.5%	92	7.6%	89	11.6%	90	16.5%
Widowed	1	0.2%	1	0.1%	3	0.2%	3	0.4%	3	0.5%
Previous Live Births										
0 Previous Live Births	373	87.8%	721	53.9%	367	30.3%	158	20.5%	58	10.6%
1 Previous Live Birth	42	9.9%	380	28.4%	346	28.6%	182	23.6%	124	22.7%
2 Previous Live Births	7	1.6%	164	12.3%	308	25.5%	223	29.0%	191	34.9%
3 Previous Live Births	0	0.0%	59	4.4%	142	11.7%	127	16.5%	96	17.6%
≥4 Previous Live Births	3	0.7%	11	0.8%	45	3.7%	80	10.4%	78	14.3%
Previous ITOPs										
0 Previous Abortions	389	91.5%	1026	76.7%	756	62.5%	378	49.1%	294	53.7%
1 Previous Abortion	28	6.6%	252	18.8%	332	27.4%	226	29.4%	158	28.9%
2 Previous Abortions	4	0.9%	44	3.3%	88	7.3%	115	14.9%	59	10.8%
≥3 Previous Abortions	4	0.9%	12	0.9%	33	2.7%	51	6.6%	36	6.6%
Gestational Age										
≤6 wks	212	49.9%	763	57.1%	739	61.1%	475	61.7%	362	66.2%
7 wks	70	16.5%	147	11.0%	139	11.5%	75	9.7%	46	8.4%
≤8 wks	37	8.7%	98	7.3%	86	7.1%	72	9.4%	36	6.6%
9-10 wks	59	13.9%	164	12.3%	124	10.2%	85	11.0%	40	7.3%
11-12 wks	31	7.3%	119	8.9%	86	7.1%	36	4.7%	41	7.5%
13-15 wks	16	3.8%	39	2.9%	26	2.1%	20	2.6%	16	2.9%
≥16 wks	0	0.0%	7	0.5%	10	0.8%	7	0.9%	6	1.1%
Type of Procedure										
Suction Aspiration	200	47.1%	616	46.1%	499	41.2%	327	42.5%	205	37.5%
RU-486	160	37.6%	549	41.1%	544	45.0%	358	46.5%	259	47.3%
Dilation & Curettage	39	9.2%	98	7.3%	106	8.8%	47	6.1%	40	7.3%
Dilation & Evacuation	24	5.6%	72	5.4%	56	4.6%	36	4.7%	39	7.1%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 11/8/2017<<http://www.health.state.ok.us/stats/index.shtml>

Table 3. 2016 Number of Legal Induced Abortions Reported – By Race and Selected Characteristics

Characteristic	Race 4294 Total reported abortions									
	White		Black		Am. Indian		Asian		Other	
Total Number of Abortions	2518	58.6%	846	19.7%	193	4.5%	159	3.7%	573	13.3%
<20 yrs	256	10.2%	71	8.4%	29	15.0%	6	3.8%	64	11.2%
20-24 yrs	800	31.8%	276	32.6%	54	28.0%	33	20.8%	174	30.4%
25-29 yrs	695	27.6%	259	30.6%	54	28.0%	39	24.5%	163	28.4%
30-34 yrs	448	17.8%	163	19.3%	28	14.5%	34	21.4%	93	16.2%
≥35 yrs	318	12.6%	77	9.1%	28	14.5%	45	28.3%	79	13.8%
Education										
<8th grade	13	0.5%	4	0.5%	6	3.1%	5	3.1%	24	4.2%
9-12 grade, no diploma	195	7.7%	56	6.6%	19	9.8%	10	6.3%	95	16.6%
Highschool graduate or GED	986	39.2%	338	40.0%	73	37.8%	57	35.8%	240	41.9%
Some College Credit	863	34.3%	323	38.2%	77	39.9%	31	19.5%	163	28.4%
Bachelor's Degree	377	15.0%	97	11.5%	13	6.7%	31	19.5%	36	6.3%
Post Grad Work	83	3.3%	28	3.3%	5	2.6%	24	15.1%	14	2.4%
Previous Live Births										
0 Previous Live Births	1089	43.2%	260	30.7%	71	36.8%	60	37.7%	196	34.2%
1 Previous Live Birth	640	25.4%	228	27.0%	50	25.9%	31	19.5%	124	21.6%
2 Previous Live Births	504	20.0%	181	21.4%	39	20.2%	44	27.7%	123	21.5%
3 Previous Live Births	193	7.7%	109	12.9%	24	12.4%	15	9.4%	83	14.5%
≥4 Previous Live Births	88	3.5%	67	7.9%	8	4.1%	8	5.0%	46	8.0%
Previous ITOPs										
0 Previous Abortions	1690	67.1%	519	61.3%	124	64.2%	108	67.9%	401	70.0%
1 Previous Abortion	579	23.0%	218	25.8%	45	23.3%	38	23.9%	116	20.2%
2 Previous Abortions	175	6.9%	69	8.2%	16	8.3%	9	5.7%	41	7.2%
≥3 Previous Abortions	70	2.8%	39	4.6%	7	3.6%	4	2.5%	14	2.4%
Marital Status										
Married	377	15.0%	80	9.5%	21	10.9%	80	50.3%	94	16.4%
Never Married	1808	71.8%	716	84.6%	141	73.1%	70	44.0%	411	71.7%
Separated	104	4.1%	21	2.5%	8	4.1%	5	3.1%	34	5.9%
Divorced	221	8.8%	26	3.1%	22	11.4%	4	2.5%	34	5.9%
Widowed	8	0.3%	3	0.4%	1	0.5%	0	0.0%	0	0.0%
Gestational Age										
<6 wks	1522	60.4%	447	52.8%	124	64.2%	107	67.3%	351	61.3%
7 wks	293	11.6%	90	10.6%	18	9.3%	15	9.4%	58	10.1%
8 wks	191	7.6%	84	9.9%	11	5.7%	11	6.9%	34	5.9%
9-10 wks	256	10.2%	122	14.4%	19	9.8%	12	7.5%	63	11.0%
11-12 wks	173	6.9%	77	9.1%	14	7.3%	8	5.0%	41	7.2%
13-15 wks	65	2.6%	22	2.6%	6	3.1%	5	3.1%	18	3.1%
16-20 wks	16	0.6%	4	0.5%	1	0.5%	0	0.0%	8	1.4%
Type of Procedure										
Suction Aspiration	1111	44.1%	422	49.9%	28	14.5%	70	44.0%	214	37.3%
RU-486	1108	44.0%	296	35.0%	121	62.7%	72	45.3%	273	47.6%
Dilation & Curettage	161	6.4%	83	9.8%	24	12.4%	8	5.0%	54	9.4%
Dilation & Evacuation	129	5.1%	45	5.3%	17	8.8%	6	3.8%	30	5.2%

Oklahoma State Department of Health.OK2Share Vital Statistics. Access on 11/8/2017<<http://www.health.state.ok.us/stats/index.s>

Table 4. 2016 Number of Legal Induced Abortions Reported – By Gestational Age and Selected Characteristics

Characteristic	Gestational Age 4294 Total reported abortions													
	<6 wks		7 wks		8 wks		9-10 wks		11-12 wks		13-15 wks		16+ wks	
Total Number of Abortions	2553	59.5%	475	11.1%	332	7.7%	472	11.0%	313	7.3%	117	2.7%	32	0.8%
White	1522	59.6%	293	61.7%	191	57.5%	256	54.2%	173	55.3%	65	55.6%	16	50.0%
Black	447	17.5%	90	18.9%	84	25.3%	122	25.8%	77	24.6%	22	18.8%	4	12.5%
Am. Indian	124	4.9%	18	3.8%	11	3.3%	19	4.0%	14	4.5%	6	5.1%	1	3.1%
Asian	107	4.2%	15	3.2%	11	3.3%	12	2.5%	8	2.6%	5	4.3%	0	0.0%
Other	351	13.7%	58	12.2%	34	10.2%	63	13.3%	41	13.1%	18	15.4%	8	25.0%
Age of Mother														
<20 yrs	212	8.3%	70	14.7%	37	11.1%	59	12.5%	31	9.9%	16	13.7%	0	0.0%
20-24 yrs	763	29.9%	147	30.9%	98	29.5%	164	34.7%	119	38.0%	39	33.3%	7	21.9%
25-29 yrs	739	28.9%	139	29.3%	86	25.9%	124	26.3%	86	27.5%	26	22.2%	10	31.3%
30-34 yrs	475	18.6%	75	15.8%	72	21.7%	85	18.0%	36	11.5%	20	17.1%	7	21.9%
≥35 yrs	362	14.2%	46	9.7%	36	10.8%	40	8.5%	41	13.1%	16	13.7%	8	25.0%
Education														
< 8th grade	31	1.2%	6	1.3%	2	0.6%	7	1.5%	<5	1.6%	<5	4.3%	<5	15.6%
9-12 grade, no diploma	186	7.3%	47	9.9%	32	9.6%	53	11.2%	40	12.8%	17	14.5%	0	0.0%
Highschool graduate or GED	986	38.6%	186	39.2%	130	39.2%	188	39.8%	147	47.0%	51	43.6%	9	28.1%
Some college	876	34.3%	166	34.9%	117	35.2%	162	34.3%	83	26.5%	36	30.8%	17	53.1%
College graduate	382	15.0%	47	9.9%	40	12.0%	42	8.9%	36	11.5%	8	6.8%	1	3.1%
Post grad work	90	3.5%	23	4.8%	11	3.3%	20	4.2%	<5	1.6%	<5	4.3%	<5	15.6%
Marital Status														
Married	421	16.5%	72	15.2%	40	12.0%	67	14.2%	37	11.8%	9	7.7%	6	18.8%
Never Married	1801	70.5%	352	74.1%	264	79.5%	366	77.5%	244	78.0%	96	82.1%	26	81.3%
Separated	109	4.3%	28	5.9%	11	3.3%	11	2.3%	11	3.5%	3	2.6%	0	0.0%
Divorced	216	8.5%	22	4.6%	15	4.5%	26	5.5%	20	6.4%	8	6.8%	0	0.0%
Widowed	6	0.2%	0	0.0%	2	0.6%	2	0.4%	1	0.3%	1	0.9%	0	0.0%
Previous Live Births														
0 Previous Births	1013	39.7%	195	41.1%	141	42.5%	166	35.2%	110	35.1%	44	37.6%	9	28.1%
1 Previous Birth	643	25.2%	105	22.1%	79	23.8%	122	25.8%	87	27.8%	28	23.9%	10	31.3%
2 Previous Births	517	20.3%	103	21.7%	74	22.3%	102	21.6%	63	20.1%	24	20.5%	10	31.3%
3 Previous Births	256	10.0%	47	9.9%	25	7.5%	50	10.6%	35	11.2%	11	9.4%	0	0.0%
≥4 Previous Births	122	4.8%	24	5.1%	13	3.9%	29	6.1%	18	5.8%	10	8.5%	1	3.1%
Previous ITOPs														
0 Previous Abortions	1676	65.6%	332	69.9%	217	65.4%	308	65.3%	207	66.1%	88	75.2%	18	56.3%
1 Previous Abortion	598	23.4%	108	22.7%	83	25.0%	106	22.5%	71	22.7%	19	16.2%	10	31.3%
2 Previous Abortions	197	7.7%	22	4.6%	20	6.0%	38	8.1%	24	7.7%	9	7.7%	0	0.0%
≥3 Previous Abortions	81	3.2%	12	2.5%	11	3.3%	17	3.6%	11	3.5%	1	0.9%	4	12.5%
Type of Procedure														
Suction Aspiration	816	32.0%	267	56.2%	217	65.4%	350	74.2%	181	57.8%	13	11.1%	3	9.4%
RU-486	1688	66.1%	142	29.9%	26	7.8%	14	3.0%	2	0.6%	0	0.0%	0	0.0%
Dilation & Curettage	42	1.6%	63	13.3%	86	25.9%	105	22.2%	29	9.3%	5	4.3%	0	0.0%
Dilation & Evacuation	0	0.0%	0	0.0%	0	0.0%	2	0.4%	101	32.3%	99	84.6%	25	78.1%
Unknown	7	0.3%	3	0.6%	3	0.9%	1	0.2%	0	0.0%	0	0.0%	0	0.0%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 11/9/2017<<http://www.health.state.ok.us/stats/index.shtml>

Table 5. 2016 Number of Legal Induced Abortions Reported – By Marital Status and Selected Characteristics

Characteristic	Marital Status		4294 Total reported abortions					
	Married	Never Married	Separated	Divorced				
Total Number of Abortions	652	15.2%	3149	73.3%	173	4.0%	307	7.1%
White	377	57.8%	1808	57.4%	104	60.1%	221	72.0%
Black	80	12.3%	716	22.7%	21	12.1%	26	8.5%
American Indian	21	3.2%	141	4.5%	8	4.6%	22	7.2%
Asian	80	12.3%	70	2.2%	6	3.5%	4	1.3%
Other	94	14.4%	411	13.1%	34	19.7%	34	11.1%
Education								
<8th grade	14	2.1%	35	1.1%	2	1.2%	1	0.3%
9-12 grade, no diploma	39	6.0%	300	9.5%	19	11.0%	17	5.5%
Highschool graduate or GED	236	36.2%	1279	40.6%	72	41.6%	103	33.6%
Some College Credit	182	27.9%	1094	34.7%	60	34.7%	118	38.4%
Bachelor's Degree	128	19.6%	359	11.4%	20	11.6%	48	15.6%
Post Grad Work	50	7.7%	81	2.6%	0	0.0%	20	6.5%
Previous Live Births								
0 Previous Live Births	90	13.8%	1537	48.8%	12	6.9%	36	11.7%
1 Previous Live Birth	161	24.7%	775	24.6%	46	26.6%	91	29.6%
2 Previous Live Births	232	35.6%	482	15.3%	65	37.6%	109	35.5%
3 Previous Live Births	114	17.5%	224	7.1%	34	19.7%	49	16.0%
≥4 Previous Live Births	53	8.1%	125	4.0%	16	9.2%	22	7.2%
Previous Abortions								
0 Previous Abortions	435	66.7%	2125	67.5%	106	61.3%	171	55.7%
1 Previous Abortion	147	22.5%	711	22.6%	43	24.9%	91	29.6%
2 Previous Abortions	47	7.2%	217	6.9%	17	9.8%	29	9.4%
≥3 Previous Abortions	21	3.2%	90	2.9%	7	4.0%	16	5.2%
Gestational Age								
< 6 wks	421	64.6%	1801	57.2%	109	63.0%	216	70.4%
7 wks	72	11.0%	352	11.2%	28	16.2%	22	7.2%
8 wks	40	6.1%	264	8.4%	11	6.4%	15	4.9%
9-10 wks	67	10.3%	366	11.6%	11	6.4%	26	8.5%
11-12 wks	37	5.7%	244	7.7%	11	6.4%	20	6.5%
13-15 wks	9	1.4%	96	3.0%	3	1.7%	8	2.6%
≥16 wks	6	0.9%	26	0.8%	0	0.0%	0	0.0%
Type of Procedure								
Suction Aspiration	290	44.5%	1369	43.5%	43	24.9%	138	45.0%
RU-486	304	46.6%	1329	42.2%	98	56.6%	138	45.0%
Dilation & Curettage	33	5.1%	256	8.1%	24	13.9%	16	5.2%
Dilation & Evacuation	20	3.1%	183	5.8%	8	4.6%	15	4.9%
Age of Mother								
<20 yrs	8	1.2%	415	13.2%	0	0.0%	1	0.3%
20-24 yrs	99	15.2%	1178	37.4%	25	14.5%	34	11.1%
25-29 yrs	194	29.8%	859	27.3%	62	35.8%	92	30.0%
30-34 yrs	173	26.5%	457	14.5%	47	27.2%	89	29.0%
≥ 35 yrs	175	26.8%	240	7.6%	39	22.5%	90	29.3%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 11/13/2017 <<http://www.health.state.ok.stats/index.shtml>

Table 6. 2016 Number of Legal Induced Abortions Reported – By Type of Procedure and Selected Characteristics

Characteristic	Type of Procedure		4294 Total abortions reported					
	Suction Aspiration		RU-486		Dilation & Curettage		Dilation & Evacuation	
Total Number of Abortions	1847	43.0%	1872	43.6%	330	7.7%	227	5.3%
White	1111	60.2%	1108	59.2%	161	48.8%	129	56.8%
Black	422	22.8%	296	15.8%	83	25.2%	45	19.8%
American Indian	28	1.5%	121	6.5%	24	7.3%	17	7.5%
Asian	70	3.8%	72	3.8%	8	2.4%	6	2.6%
Other	214	11.6%	273	14.6%	54	16.4%	30	13.2%
Age of Mother								
< 20 yrs	200	10.8%	160	8.5%	39	11.8%	24	10.6%
20-24 yrs	616	33.4%	549	29.3%	98	29.7%	72	31.7%
25-29 yrs	499	27.0%	544	29.1%	106	32.1%	56	24.7%
30-34 yrs	327	17.7%	358	19.1%	47	14.2%	36	15.9%
≥35 yrs	205	11.1%	259	13.8%	40	12.1%	39	17.2%
Marital Status								
Married	290	15.7%	304	16.2%	33	10.0%	20	8.8%
Unmarried	1369	74.1%	1329	71.0%	256	77.6%	183	80.6%
Separated	43	2.3%	98	5.2%	24	7.3%	8	3.5%
Divorced	138	7.5%	138	7.4%	16	4.8%	15	6.6%
Widowed	7	0.4%	3	0.2%	1	0.3%	1	0.4%
Education								
< 8th grade	27	1.5%	16	0.9%	6	1.8%	3	1.3%
9-12 grade, no diploma	156	8.4%	146	7.8%	37	11.2%	33	14.5%
Highschool graduate or GED	648	35.1%	777	41.5%	162	49.1%	107	47.1%
Some College Credit	644	34.9%	632	33.8%	107	32.4%	67	29.5%
Bachelor's Degree	266	14.4%	257	13.7%	16	4.8%	14	6.2%
Post Grad Work	106	5.7%	42	2.2%	2	0.6%	3	1.3%
Previous Live Births								
0 Previous Live Births	776	42.0%	720	38.5%	98	29.7%	77	33.9%
1 Previous Live Birth	474	25.7%	450	24.0%	95	28.8%	53	23.3%
2 Previous Live Births	349	18.9%	406	21.7%	73	22.1%	60	26.4%
3 Previous Live Births	163	8.8%	202	10.8%	36	10.9%	21	9.3%
≥ 4 Previous Live Births	80	4.3%	93	5.0%	28	8.5%	16	7.0%
Previous Abortions								
0 Previous Abortions	1226	66.4%	1255	67.0%	204	61.8%	150	66.1%
1 Previous Abortion	441	23.9%	418	22.3%	87	26.4%	49	21.6%
2 Previous Abortions	125	6.8%	138	7.4%	24	7.3%	20	8.8%
≥ 3 Previous Abortions	49	2.7%	61	3.3%	15	4.5%	8	3.5%
Gestational Age								
≤ 6 wks	816	44.2%	1688	90.2%	42	12.7%	0	0.0%
7 wks	267	14.5%	142	7.6%	63	19.1%	0	0.0%
8 wks	217	19.5%	26	1.4%	86	26.1%		0.0%
9-10 wks	350	18.9%	14	0.7%	105	31.8%	2	0.9%
11-12 wks	181	9.8%	2	0.1%	29	8.8%	101	44.5%
13-15 wks	13	0.7%	0	0.0%	5	1.5%	99	43.6%
16 + wks	3	0.2%	0	0.0%	0	0.0%	25	11.0%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 11/13/2017<http://www.health.state.ok.us/stats/index.shtml

Table 7. 2016 Number of Legal Induced Abortions Reported – By Mother’s Education and Selected Characteristics

Characteristics	Education of Mother				4294 Total abortions reported							
	< 8th grade		9-12, no diploma		H.S./GED completed		Some College		Bachelor's Degree		Post Grad Work	
Total # of abortions	52	1.2%	375	8.7%	1697	39.5%	1457	33.9%	556	12.9%	153	3.6%
White	13	25.0%	195	52.0%	986	58.1%	863	59.2%	377	67.8%	83	54.2%
Black	4	7.7%	56	14.9%	338	19.9%	323	22.2%	97	17.4%	28	18.3%
American Indian	6	11.5%	19	5.1%	73	4.3%	77	5.3%	13	2.3%	5	3.3%
Asian	5	9.6%	10	2.7%	57	3.4%	31	2.1%	31	5.6%	24	15.7%
Other	24	46.2%	95	25.3%	240	14.1%	163	11.2%	36	6.5%	14	9.2%
Age of Mother												
<20 yrs	14	26.9%	133	35.5%	181	10.7%	91	6.2%	0	0.0%	<5	3.3%
20-24 yrs	10	19.2%	85	22.7%	579	34.1%	527	36.2%	114	20.5%	22	14.4%
25-29 yrs	7	13.5%	82	21.9%	469	27.6%	416	28.6%	192	34.5%	44	28.8%
30-34 yrs	9	17.3%	46	12.3%	282	16.6%	254	17.4%	140	25.2%	38	24.8%
≥ 35 yrs	12	23.1%	24	6.4%	181	10.7%	169	11.6%	110	19.8%	45	29.4%
Marital Status												
Married	14	26.9%	39	10.4%	236	13.9%	182	12.5%	128	23.0%	50	32.7%
Never Married	35	67.3%	300	80.0%	1279	75.4%	1094	75.1%	359	64.6%	81	52.9%
Separated	2	3.8%	19	5.1%	72	4.2%	60	4.1%	20	3.6%	0	0.0%
Divorced	1	1.9%	17	4.5%	103	6.1%	118	8.1%	46	8.3%	20	13.1%
Previous Live Births												
0 Live Births	15	28.8%	144	38.4%	572	33.7%	599	41.1%	286	51.4%	62	40.5%
1 Live Birth	4	7.7%	62	16.5%	466	27.5%	380	26.1%	129	23.2%	33	21.6%
2 Live Births	12	23.1%	81	21.6%	373	22.0%	286	19.6%	102	18.3%	38	24.8%
3 Live Births	13	25.0%	59	15.7%	178	10.5%	126	8.6%	31	5.6%	17	11.1%
≥4 Live Births	7	13.5%	28	7.5%	107	6.3%	63	4.3%	8	1.4%	3	2.0%
Previous Abortions												
0 Abortions	42	80.8%	271	72.3%	1109	65.4%	967	66.4%	352	63.3%	103	67.3%
1 Abortion	7	13.5%	68	18.1%	407	24.0%	337	23.1%	143	25.7%	34	22.2%
2 Abortions	1	1.9%	25	6.7%	128	7.5%	98	6.7%	47	8.5%	11	7.2%
≥3 Abortions	1	1.9%	9	2.4%	52	3.1%	53	3.6%	14	2.5%	5	3.3%
Gestational Age												
≤6 wks	31	59.6%	186	49.6%	986	58.1%	876	60.1%	382	68.7%	90	58.8%
7 wks	6	11.5%	47	12.5%	186	11.0%	166	11.4%	47	8.5%	23	15.0%
8 wks	2	3.8%	32	8.5%	130	7.7%	117	8.0%	40	7.2%	11	7.2%
9-10 wks	7	13.5%	53	14.1%	188	11.1%	162	11.1%	42	7.6%	20	13.1%
11-12 wks	<5	9.6%	40	10.7%	147	8.7%	83	5.7%	36	6.5%	<5	3.3%
13-15 wks	<5	9.6%	17	4.5%	51	3.0%	36	2.5%	8	1.4%	<5	3.3%
16+ wks	<5	9.6%	0	0.0%	9	0.5%	17	1.2%	1	0.2%	<5	3.3%
Type of Procedure												
Suction Aspiration	27	51.9%	156	41.6%	648	38.2%	644	44.2%	266	47.8%	106	69.3%
RU-486	16	30.8%	146	38.9%	777	45.8%	632	43.4%	257	46.2%	42	27.5%
Dilation & Curettage	6	11.5%	37	9.9%	162	9.5%	107	7.3%	16	2.9%	2	1.3%
Dilation & Evacuation	3	5.8%	33	8.8%	107	6.3%	67	4.6%	14	2.5%	3	2.0%

Oklahoma State Department of Health, OK2Share Vital Statistics. Accessed on 11/14/2017 <<http://www.health.state.ok.us/stats/index.shtml>>

Table 8. 2016 Number of Legal Induced Abortions Reported – By Previous Live Births and Selected Characteristics

Characteristics	Previous Live Births				4294 Total reported abortions					
	0 births		1 birth		2 births		3 births		≥4 births	
Total # of Abortions	1678	39.1%	1074	25.0%	893	20.8%	424	9.9%	217	5.1%
White	1089	64.9%	640	59.6%	504	56.4%	193	45.5%	88	40.6%
Black	260	15.5%	228	21.2%	181	20.3%	109	25.7%	67	30.9%
American Indian	71	4.2%	50	4.7%	39	4.4%	24	5.7%	8	3.7%
Asian	60	3.6%	31	2.9%	44	4.9%	15	3.5%	8	3.7%
Other	196	11.7%	124	11.5%	123	13.8%	83	19.6%	46	21.2%
Age of Mother										
< 20 yrs	373	22.2%	42	3.9%	7	0.8%	0	0.0%	3	1.4%
20-24 yrs	721	43.0%	380	35.4%	164	18.4%	59	13.9%	11	5.1%
25-29 yrs	367	21.9%	346	32.2%	308	34.5%	142	33.5%	45	20.7%
30-34 yrs	158	9.4%	182	16.9%	223	25.0%	127	30.0%	80	36.9%
≥ 35 yrs	58	3.5%	124	11.5%	191	21.4%	96	22.6%	78	35.9%
Marital Status										
Married	90	5.4%	161	15.0%	232	26.0%	114	26.9%	53	24.4%
Never Married	1537	91.6%	775	72.2%	482	54.0%	224	52.8%	125	57.6%
Separated	12	0.7%	46	4.3%	65	7.3%	34	8.0%	16	7.4%
Divorced	36	2.1%	91	8.5%	109	12.2%	49	11.6%	22	10.1%
Education										
< 8th grade	15	0.9%	4	0.4%	12	1.3%	13	3.1%	7	3.2%
9-12 no diploma	144	8.6%	62	5.8%	81	9.1%	59	13.9%	28	12.9%
HS/GED completed	572	34.1%	466	43.4%	373	41.8%	178	42.0%	107	49.3%
Some College	599	35.7%	380	35.4%	286	32.0%	126	29.7%	63	29.0%
Bachelor's Degree	286	17.0%	129	12.0%	102	11.4%	31	7.3%	8	3.7%
Post Grad Work	62	3.7%	33	3.1%	38	4.3%	17	4.0%	3	1.4%
Previous Abortions										
0 Abortions	1264	75.3%	687	64.0%	520	58.2%	226	53.3%	119	54.8%
1 Abortion	294	17.5%	284	26.4%	253	28.3%	108	25.5%	57	26.3%
2 Abortions	65	3.9%	69	6.4%	84	9.4%	63	14.9%	28	12.9%
≥ 3 Abortions	25	1.5%	33	3.1%	36	4.0%	27	6.4%	13	6.0%
Gestational Age										
≤ 6 wks	1013	60.4%	643	59.9%	517	57.9%	256	60.4%	122	56.2%
7 wks	195	11.6%	105	9.8%	103	11.5%	47	11.1%	24	11.1%
8 wks	141	8.4%	79	7.4%	74	8.3%	25	5.9%	13	6.0%
9-10 wks	166	9.9%	122	11.4%	102	11.4%	50	11.8%	29	13.4%
11-12 wks	110	6.6%	87	8.1%	63	7.1%	35	8.3%	18	8.3%
13-15 wks	44	2.6%	28	2.6%	24	2.7%	11	2.6%	10	4.6%
16+ wks	9	0.5%	10	0.9%	10	1.1%	0	0.0%	1	0.5%
Type of Procedure										
Suction Aspiration	776	46.2%	474	44.1%	349	39.1%	163	38.4%	80	36.9%
RU-486	720	42.9%	450	41.9%	406	45.5%	202	47.6%	93	42.9%
Dilation & Curettage	98	5.8%	95	8.8%	73	8.2%	36	8.5%	28	12.9%
Dilation & Evacuation	77	4.6%	53	4.9%	60	6.7%	21	5.0%	16	7.4%

Table 9. 2016 Number of Legal Induced Abortions Reported – By Previous Abortions and Selected Characteristics

Characteristics	Previous Abortions						4294 Total reported abortions	
	0 Abortions		1 Abortion		2 Abortions		≥ 3 Abortions	
Total # of abortions	2846	66.3%	996	23.2%	310	7.2%	134	3.1%
White	1690	59.4%	579	58.1%	175	56.5%	70	52.2%
Black	519	18.2%	218	21.9%	69	22.3%	39	29.1%
American Indian	124	4.4%	45	4.5%	16	5.2%	7	5.2%
Asian	108	3.8%	38	3.8%	9	2.9%	4	3.0%
Other	401	14.1%	116	11.6%	41	13.2%	14	10.4%
Age of Mother								
< 20 yrs	389	13.7%	28	2.8%	4	1.3%	4	3.0%
20-24 yrs	1026	36.1%	252	25.3%	44	14.2%	12	9.0%
25-29 yrs	756	26.6%	332	33.3%	88	28.4%	33	24.6%
30-34 yrs	378	13.3%	226	22.7%	115	37.1%	51	38.1%
≥ 35 yrs	294	10.3%	158	15.9%	59	19.0%	36	26.9%
Marital Status								
Married	435	15.3%	147	14.8%	47	15.2%	21	15.7%
Never Married	2125	74.7%	711	71.4%	217	70.0%	90	67.2%
Separated	106	3.7%	43	4.3%	17	5.5%	7	5.2%
Divorced	171	6.0%	91	9.1%	29	9.4%	16	11.9%
Education								
< 8th grade	42	1.5%	7	0.7%	1	0.3%	1	0.7%
9-12 no diploma	271	9.5%	68	6.8%	25	8.1%	9	6.7%
HS/GED completed	1109	39.0%	407	40.9%	128	41.3%	52	38.8%
Some College	967	34.0%	337	33.8%	98	31.6%	53	39.6%
Bachelor's Degree	352	12.4%	143	14.4%	47	15.2%	14	10.4%
Post Grad Work	103	3.6%	34	3.4%	11	3.5%	5	3.7%
Previous Live Births								
0 Live Births	1294	45.5%	294	29.5%	65	21.0%	25	18.7%
1 Live Birth	687	24.1%	284	28.5%	69	22.3%	33	24.6%
2 Live Births	520	18.3%	253	25.4%	84	27.1%	36	26.9%
3 Live Births	226	7.9%	108	10.8%	63	20.3%	27	20.1%
≥ 4 Live Births	119	4.2%	57	5.7%	28	9.0%	13	9.7%
Gestational Age								
≤ 6 wks	1676	58.9%	598	60.0%	197	63.5%	81	60.4%
7 wks	332	11.7%	108	10.8%	22	7.1%	12	9.0%
8 wks	217	7.6%	83	8.3%	20	6.5%	11	8.2%
9-10 wks	308	10.8%	106	10.6%	38	12.3%	17	12.7%
11-12 wks	207	7.3%	71	7.1%	24	7.7%	11	8.2%
13-15 wks	88	3.1%	19	1.9%	9	2.9%	1	0.7%
16+ wks	18	0.6%	10	1.0%	0	0.0%	4	3.0%
Type of Procedure								
Suction Aspiration	1226	43.1%	441	44.3%	125	40.3%	49	36.6%
RU-486	1255	44.1%	418	42.0%	138	44.5%	61	45.5%
Dilation & Curettage	204	7.2%	87	8.7%	24	7.7%	15	11.2%
Dilation & Evacuation	150	5.3%	49	4.9%	20	6.5%	8	6.0%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 7/14/2017<<http://www.health.state.ok.us/stats/index.shtml>